





Abmessung	kg / mtr
4 Kantrohr DIN2395/EN10305-5 S235 (ca. 6 mtr./Stange) 	
10 x 10 x 1	0,28
10 x 10 x 1,5	0,40
12 x 12 x 1	0,35
12 x 12 x 1,5	0,49
15 x 15 x 1	0,44
15 x 15 x 1,5	0,63
15 x 15 x 2	0,81
16 x 16 x 1	0,47
16 x 16 x 1,5	0,67
16 x 16 x 2	0,85
18 x 18 x 1,5	0,77
18 x 18 x 2	1,00
20 x 20 x 1	0,60
20 x 20 x 1,5	0,87
20 x 20 x 2	1,12
20 x 20 x 2,5	1,33
20 x 20 x 3	1,60
22 x 22 x 1,5	0,95
22 x 22 x 2	1,23
25 x 25 x 1,5	1,10
25 x 25 x 2	1,44
25 x 25 x 2,5	1,76
25 x 25 x 3	1,92
30 x 30 x 1,5	1,34
30 x 30 x 2	1,75
30 x 30 x 2,5	2,15
30 x 30 x 3	2,39
30 x 30 x 4	3,32
35 x 35 x 1,5	1,57
35 x 35 x 2	2,07
35 x 35 x 2,5	2,54
35 x 35 x 3	2,86
35 x 35 x 4	3,79
40 x 40 x 1,5	1,81
40 x 40 x 2	2,38
40 x 40 x 2,5	2,93
40 x 40 x 3	3,00
40 x 40 x 4	4,25
40 x 40 x 5	5,58
45 x 45 x 1,5	2,05
45 x 45 x 2	2,69
45 x 45 x 2,5	3,33
45 x 45 x 3	3,80
45 x 45 x 4	4,88

Abmessung	kg / mtr
50 x 50 x 1,5	2,27
50 x 50 x 2	3,01
50 x 50 x 2,5	3,72
50 x 50 x 3	4,28
50 x 50 x 4	5,51
50 x 50 x 5	6,56
55 x 55 x 2	3,22
55 x 55 x 2,5	4,11
55 x 55 x 3	4,75
55 x 55 x 4	6,14
60 x 60 x 2	3,64
60 x 60 x 2,5	4,50
60 x 60 x 3	5,22
60 x 60 x 4	6,76
60 x 60 x 5	7,96
70 x 70 x 2	4,26
70 x 70 x 3	6,50
70 x 70 x 4	8,02
70 x 70 x 5	9,70
80 x 80 x 2	4,89
80 x 80 x 2,5	6,07
80 x 80 x 3	7,10
80 x 80 x 4	9,28
80 x 80 x 5	11,20
90 x 90 x 3	8,04
90 x 90 x 4	10,50
90 x 90 x 5	12,80
100 x 100 x 3	8,99
100 x 100 x 4	11,80
100 x 100 x 5	14,40
120 x 120 x 3	10,80
120 x 120 x 4	14,50
120 x 120 x 5	17,50


4 Kantrohr verzinkt (ca. 6 mtr./Stange) 	
20 x 20 x 2	1,14
30 x 30 x 2	1,77
40 x 40 x 2	2,40
50 x 50 x 3	4,65
40 x 20 x 2	1,90

Abmessung	kg / mtr
Hohlprofil kaltgefertigt DIN59410/EN10210 S235 (ca. 6 mtr./Stange) 	
50 x 50 x 6,0	8,05
60 x 60 x 6,0	9,45
70 x 70 x 6,0	11,30
80 x 80 x 4,0	9,41
80 x 80 x 5,0	11,60
80 x 80 x 6,0	13,20
80 x 80 x 8,0 (S355) (12 mtr.)	17,50
80 x 80 x 10,0 (S355) (12 mtr.)	21,10
100 x 100 x 4,0	11,70
100 x 100 x 5,0	14,40
100 x 100 x 6,0	17,00
100 x 100 x 8,0 (S335) (12 mtr.)	21,40
100 x 100 x 10,0 (S335) (12 mtr.)	25,60
120 x 120 x 3,0	10,80
120 x 120 x 4,0	14,20
120 x 120 x 5,0	17,50
120 x 120 x 6,0	20,70
120 x 120 x 8,0	27,50
120 x 120 x 10,0	31,80
140 x 140 x 4,0	16,80
140 x 140 x 5,0	20,70
140 x 140 x 6,0	24,50
140 x 140 x 8,0	32,60
150 x 150 x 3,0	13,70
150 x 150 x 4,0	18,00
150 x 150 x 5,0	22,30
150 x 150 x 6,0	26,40
150 x 150 x 10,0	44,60
160 x 160 x 5,0	23,80
160 x 160 x 6,0	28,30
160 x 160 x 8,0	36,50
180 x 180 x 5,0	26,90
200 x 200 x 5,0	30,01
200 x 200 x 6,0	35,80
200 x 200 x 8,0	47,70
200 x 200 x 10,0	58,80


Abmessung	kg / mtr
Rechteckrohr	
DIN2395/EN10305-5	
S235	
(ca. 6 mtr./Stange)	
	
20 x 10 x 1,5	0,63
20 x 10 x 2,0	0,81
20 x 15 x 1,5	0,75
20 x 15 x 2,0	0,97
25 x 10 x 1,5	0,75
25 x 10 x 2,0	0,97
25 x 15 x 1,5	0,87
25 x 15 x 2,0	1,12
25 x 20 x 1,5	0,99
25 x 20 x 2,0	1,28
30 x 10 x 1,5	0,87
30 x 10 x 2,0	1,12
30 x 15 x 1,5	0,99
30 x 15 x 2,0	1,28
30 x 15 x 3,0	1,84
30 x 20 x 1,5	1,10
30 x 20 x 2,0	1,44
30 x 20 x 2,5	1,76
30 x 20 x 3,0	1,92
30 x 25 x 1,5	1,22
30 x 25 x 2,0	1,59
30 x 25 x 2,5	1,96
30 x 25 x 3,0	2,16
35 x 10 x 1,5	0,99
35 x 10 x 2,0	1,28
35 x 15 x 1,5	1,10
35 x 15 x 2,0	1,44
35 x 15 x 2,5	1,76
35 x 20 x 1,5	1,22
35 x 20 x 2,0	1,59
35 x 20 x 2,5	1,96
35 x 25 x 1,5	1,34
35 x 25 x 2,0	1,75
35 x 25 x 2,5	2,15
35 x 25 x 3,0	2,39
40 x 10 x 1,5	1,10
40 x 10 x 2,0	1,44
40 x 15 x 1,5	1,22
40 x 15 x 2,0	1,59




Abmessung	kg / mtr
40 x 20 x 1,5	1,34
40 x 20 x 2,0	1,75
40 x 20 x 2,5	2,15
40 x 20 x 3,0	2,39
40 x 25 x 1,5	1,46
40 x 25 x 2,0	1,19
40 x 25 x 2,5	2,34
40 x 25 x 3,0	2,63
40 x 30 x 1,5	1,57
40 x 30 x 2,0	2,07
40 x 30 x 2,5	2,54
40 x 30 x 3,0	2,86
45 x 20 x 1,5	1,46
45 x 20 x 2,0	1,91
45 x 20 x 2,5	2,34
45 x 20 x 3,0	2,63
45 x 25 x 1,5	1,57
45 x 25 x 2,0	2,07
45 x 25 x 2,5	2,54
45 x 25 x 3,0	2,86
45 x 30 x 2,0	2,22
45 x 35 x 1,5	1,81
45 x 35 x 2,0	2,38
50 x 15 x 1,5	1,46
50 x 15 x 2,0	1,91
50 x 20 x 1,5	1,57
50 x 20 x 2,0	2,07
50 x 20 x 2,5	2,54
50 x 20 x 3,0	2,86
50 x 25 x 1,5	1,69
50 x 25 x 2,0	2,22
50 x 25 x 2,5	2,74
50 x 25 x 3,0	3,10
50 x 30 x 1,5	1,81
50 x 30 x 2,0	2,38
50 x 30 x 2,5	2,93
50 x 30 x 3,0	3,33
50 x 30 x 4,0	4,25
50 x 34 x 2,0	2,51
50 x 34 x 2,5	3,09




Abmessung	kg / mtr
50 x 35 x 2,0	2,54
50 x 35 x 3,0	3,57
50 x 40 x 2,0	2,69
50 x 40 x 2,5	3,33
50 x 40 x 3,0	3,80
50 x 40 x 4,0	4,88
55 x 34 x 2,0	2,66
55 x 34 x 2,5	3,26
60 x 15 x 2,0	2,22
60 x 20 x 1,5	1,81
60 x 20 x 2,0	2,38
60 x 20 x 2,5	2,93
60 x 20 x 3,0	3,33
60 x 25 x 2,0	2,54
60 x 25 x 2,5	3,10
60 x 25 x 3,0	3,57
60 x 30 x 2,0	2,69
60 x 30 x 2,5	3,33
60 x 30 x 3,0	3,80
60 x 30 x 4,0	4,88
60 x 40 x 1,5	2,27
60 x 40 x 2,0	3,01
60 x 40 x 2,5	3,72
60 x 40 x 3,0	4,28
60 x 40 x 4,0	5,51
60 x 40 x 5,0	6,85
60 x 50 x 2,0	3,32
60 x 50 x 3,0	4,75
60 x 50 x 4,0	6,14
60 x 50 x 5,0	7,34
70 x 20 x 2,0	2,69
70 x 20 x 3,0	3,80
70 x 30 x 2,0	3,01
70 x 30 x 3,0	4,28
70 x 30 x 4,0	5,51
70 x 40 x 2,0	3,32
70 x 40 x 2,5	4,11
70 x 40 x 3,0	4,75
70 x 40 x 4,0	6,14
70 x 40 x 5,0	7,34


Abmessung	kg / mtr
Rechteckrohr	
DIN2395/EN10305-5	
S235	
(ca. 6 mtr./Stange)	
	
70 x 50 x 2,0	3,64
70 x 50 x 3,0	5,22
70 x 50 x 4,0	6,76
70 x 50 x 5,0	8,13
80 x 20 x 2,0	3,01
80 x 20 x 3,0	4,28
80 x 30 x 2,0	3,32
80 x 30 x 3,0	4,75
80 x 30 x 4,0	6,14
80 x 40 x 2,0	3,64
80 x 40 x 2,5	4,50
80 x 40 x 3,0	5,22
80 x 40 x 4,0	6,76
80 x 40 x 5,0	8,13
80 x 50 x 2,0	3,95
80 x 50 x 2,5	4,90
80 x 50 x 3,0	5,69
80 x 50 x 4,0	7,39
80 x 50 x 5,0	8,91
80 x 60 x 2,0	4,26
80 x 60 x 2,5	5,29
80 x 60 x 3,0	6,16
80 x 60 x 4,0	8,02
80 x 60 x 5,0	9,70
90 x 20 x 2,0	3,32
90 x 30 x 2,0	3,64
90 x 40 x 3,0	5,69
90 x 40 x 4,0	7,39
90 x 50 x 2,0	4,26
90 x 50 x 2,5	5,29
90 x 50 x 3,0	6,16
90 x 50 x 4,0	8,02
90 x 50 x 5,0	9,70

Abmessung	kg / mtr
100 x 20 x 2,0	3,64
100 x 20 x 3,0	5,22
100 x 30 x 2,0	3,95
100 x 30 x 3,0	5,69
100 x 30 x 4,0	7,39
100 x 40 x 2,0	4,26
100 x 40 x 3,0	6,16
100 x 40 x 4,0	8,02
100 x 40 x 5,0	9,70
100 x 50 x 2,0	4,58
100 x 50 x 2,5	5,68
100 x 50 x 3,0	6,63
100 x 50 x 4,0	8,65
100 x 50 x 5,0	10,80
100 x 60 x 2,0	4,89
100 x 60 x 3,0	7,10
100 x 60 x 4,0	9,28
100 x 60 x 5,0	11,60
100 x 80 x 3,0	8,04
100 x 80 x 4,0	10,50
100 x 80 x 5,0	12,80
110 x 70 x 3,0	8,04
110 x 70 x 4,0	10,50
110 x 70 x 5,0	12,80
120 x 40 x 2,0	4,89
120 x 40 x 3,0	7,10
120 x 40 x 4,0	9,28
120 x 40 x 5,0	11,30
120 x 50 x 4,0	9,89
120 x 50 x 5,0	12,36
120 x 60 x 3,0	8,04
120 x 60 x 4,0	10,50
120 x 60 x 5,0	13,10
120 x 80 x 3,0	8,99
120 x 80 x 4,0	11,80
120 x 80 x 5,0	14,70

Abmessung	kg / mtr
Hohlprofil Rechteckrohr	
DIN59411/EN10219	
S235	
(ca. 6 mtr./Stange)	
	
90 x 50 x 5,0	9,89
100 x 50 x 6,0	12,30
100 x 60 x 4,0	9,41
100 x 60 x 6,0	13,20
120 x 60 x 4,0	10,50
120 x 60 x 5,0	12,80
120 x 60 x 6,0	15,10
120 x 80 x 5,0	14,40
120 x 80 x 6,0	17,00
120 x 80 x 8,0	22,51
120 x 100 x 4,0	13,00
140 x 60 x 4,0	11,73
140 x 60 x 5,0	14,24
140 x 70 x 4,0	12,40
140 x 70 x 5,0	15,00
140 x 80 x 4,0	13,00
140 x 80 x 5,0	16,00
140 x 80 x 6,0	18,90
150 x 50 x 4,0	18,00
150 x 100 x 4,0	14,90
150 x 100 x 5,0	18,30
150 x 100 x 6,0	21,70
150 x 100 x 10,0	34,10
160 x 80 x 4,0	14,20
160 x 80 x 5,0	17,50
160 x 80 x 6,0	20,70
180 x 100 x 5,0	21,00
180 x 100 x 6,0	24,50
180 x 100 x 8,0	32,60
200 x 100 x 5,0	22,10
200 x 100 x 6,0	26,40
200 x 100 x 8,0	35,10
200 x 100 x 10,0	41,30
200 x 100 x 12,0	52,60
200 x 100 x 16,0	65,20
200 x 120 x 6,0	28,30
200 x 120 x 8,0	36,50
200 x 120 x 10,0	46,30

Abmessung	kg / mtr
geschw. Gewinderohr EN10255 schwarz (ca. 6 mtr./Stange) 	
(13,5 x 2,35) 1/4"	0,65
(17,2 x 2,35) 3/8"	0,85
(21,3 x 2,65) 1/2"	1,22
(26,9 x 2,65) 3/4"	1,58
(33,7 x 3,25) 1"	2,44
(42,4 x 3,25) 1 1/4"	3,14
(48,3 x 3,25) 1 1/2"	3,61
(60,3 x 3,65) 2"	5,10
(76,1 x 3,65) 2 1/2"	6,51
(88,9 x 4,05) 3"	8,47
(114,3 x 4,50) 4"	12,10
geschw. Geländerrohr EN10219/10305 schw. (ca. 6 mtr./Stange) 	
(21,3 x 1,75) 1/2"	0,84
(26,9 x 1,75) 3/4"	1,08
(33,7 x 2,00) 1"	1,55
(42,4 x 2,00) 1 1/4"	2,00
(48,3 x 2,00) 1 1/2"	2,28
(60,3 x 2,00) 2"	2,86
nahtl. Gewinderohr EN10255 schwarz (ca. 6mtr./Stange) 	
(13,5 x 2,35) 1/4"	0,65
(17,2 x 2,35) 3/8"	0,85
(21,3 x 2,65) 1/2"	1,22
(26,9 x 2,65) 3/4"	1,58
(33,7 x 3,25) 1"	2,44
(42,4 x 3,25) 1 1/4"	3,14
(48,3 x 3,25) 1 1/2"	3,61
(60,3 x 3,65) 2"	5,10

Abmessung	kg / mtr
geschw. Gewinderohr EN10255 verzinkt (ca. 6 mtr./Stange) 	
(13,5 x 2,35) 1/4"	0,68
(17,2 x 2,35) 3/8"	0,89
(21,3 x 2,65) 1/2"	1,27
(26,9 x 2,65) 3/4"	1,65
(33,7 x 3,25) 1"	2,55
(42,4 x 3,25) 1 1/4"	3,28
(48,3 x 3,25) 1 1/2"	3,77
(60,3 x 3,65) 2"	5,33
(76,1 x 3,65) 2 1/2"	6,80
(88,9 x 4,05) 3"	8,85
(114,3 x 4,50) 4"	12,60
Konstruktionsrohr geschw. EN10219 schw. (ca. 6 mtr./Stange) 	
(21,3 x 2,00) 1/2"	0,96
(26,9 x 2,00) 3/4"	1,24
(33,7 x 2,50) 1"	1,91
(42,4 x 2,50) 1 1/4"	2,47
(48,3 x 2,50) 1 1/2"	2,84
(60,3 x 2,50) 2"	3,55
nahtl. Gewinderohr EN10255 verzinkt (ca. 6 mtr./Stange) 	
(13,5 x 2,35) 1/4"	0,77
(17,2 x 2,35) 3/8"	0,89
(21,3 x 2,65) 1/2"	1,22
(26,9 x 2,65) 3/4"	1,58
(33,7 x 3,25) 1"	2,55
(42,4 x 3,25) 1 1/4"	3,14
(48,3 x 3,25) 1 1/2"	3,61
(60,3 x 3,65) 2"	5,10

Abmessung	kg / mtr
geschw. Siederohr DIN2458/EN10219 S235 (ca. 6 mtr./Stange) 	
38,0 x 2,6	2,25
48,3 x 2,6	3,97
48,3 x 3,2	3,65
48,3 x 5,0	5,30
60,3 x 2,9	4,11
60,3 x 5,0	6,82
70,0 x 5,0	8,01
70,0 x 6,3	9,90
76,1 x 2,9	5,24
76,1 x 5,0	8,77
76,1 x 6,3	10,80
82,5 x 3,2	6,26
88,9 x 3,2	6,76
88,9 x 5,0	10,30
88,9 x 6,3	12,80
88,9 x 8,0	16,00
101,6 x 2,9	7,06
101,6 x 3,6	8,70
101,6 x 5,0	11,91
101,6 x 6,3	14,80
101,6 x 8,0	18,50
108,0 x 2,9	7,51
108,0 x 3,6	9,27
108,0 x 5,0	12,70
114,3 x 3,6	9,83
114,3 x 5,0	13,50
114,3 x 6,3	16,80
114,3 x 8,0	21,00
121,0 x 4,0	11,50
127,0 x 4,0	12,10
139,7 x 3,6	12,10
139,7 x 4,0	13,36
139,7 x 5,0	16,61
139,7 x 6,3	20,70
152,4 x 4,5	16,40
152,4 x 6,3	22,70
152,4 x 8,0	28,50
159,0 x 4,5	17,10
159,0 x 6,3	23,72
159,0 x 8,0	29,80
168,3 x 4,5	18,20
219,1 x 4,5	24,77
219,1 x 8,0	41,60

Abmessung	kg / mtr
Hydraulikrohr nahtlos DIN2391/EN10305-4 blank (ca. 6 mtr./Stange)	


8 x 1,0	0,17
8 x 1,5	0,24
10 x 1,0	0,22
10 x 1,5	0,31
12 x 1,0	0,27
12 x 1,5	0,39
15 x 1,0	0,35
15 x 1,5	0,50
18 x 1,0	0,42
18 x 1,5	0,61

Hydraulikrohr nahtlos DIN2391/EN10305-4 verzinkt (ca. 6 mtr./Stange)	
--	--

6 x 1,0	0,13
8 x 1,0	0,18
10 x 1,5	0,32
12 x 1,5	0,39
15 x 1,5	0,52
18 x 1,5	0,65
20 x 2,0	0,95
22 x 2,0	1,05
28 x 2,0	1,25
42 x 3,0	2,09

Abmessung	kg / mtr
RP - Anschlagrohr geschweißt (ca. 6 mtr./Stange)	

RP 105	2,98
RP 106	2,51
RP 112	3,60
RP 143	2,51
RP 144	2,04
RP 152	3,33
RP 1008	2,86
RP 1049	3,48
RP 1072	3,39
RP 1348	4,03



Abmessung	kg / mtr
Präzisionsrohr nahtlos DIN2391/EN10305-1 blank (ca. 6 mtr./Stange)	

8 x 1,0	0,17
10 x 1,0	0,22
12 x 1,5	0,39
15 x 1,5	0,50
15 x 2,0	0,64
18 x 1,5	0,61
18 x 2,0	0,79
20 x 1,5	0,68
20 x 2,0	0,89
25 x 2,0	1,13
25 x 3,0	1,53
30 x 2,0	1,38
30 x 3,0	2,00